

Customer-centered and Technology-enabled Homecare Service: Opportunities for Value Creation

(Full Paper)

ABSTRACT

In the advancement of society, the ability of providing quality healthcare has been increased and the use of smart technology in the healthcare environment has been widely seen. The study uses in-depth interviews and field observation methods to collect data, aiming at understanding the perspectives and needs towards technology-enabled services. In addition, according to the results of the interviews, the user journey maps for each of the three technological solutions (smart pill box, smart mattress, wearable device) we proposed have been drawn, and the pain points, touch points as well as opportunities of each role have been discussed and summarized. Lastly, the blueprint of the entire home care service has been depicted, which we expected to provide a reference for home care service providers for applying smart technologies to their homecare service models and create new value from managing their operations.

Keywords: Home care, user journey map, service blueprint, pain point, service process improvement

*Corresponding author

INTRODUCTION

With the progress of society and the rapid development of medical technology, the proportion of the world's elderly population has risen dramatically. The aging society has become an important global issue, it not only changes the population structure but also affects the overall quality of medical services. In Taiwan, according to the estimation of the National Development Council, Taiwan will become a super-aged society by 2026 where at least 20 percent of the population are 65 or older (National Development Council, 2018). This might lead to an increase in health costs and social problems for personal care, since elderly people often faced with some chronic diseases such as diabetes, high blood pressure or dementia. A report made by the Ministry of Health and Welfare (Taiwan) indicates that the number of people who need long-term care will increase from 557,000 in 2017 to more than 770,000 in 2026, and the proportion of the elderly has been increasing year by year (Ministry of Health and Welfare, 2016). Besides, due to Taiwan's declining birthrate, the old-age dependency ratio will increase to about 30 percent by 2026. Nursing manpower and medical care resources might not be able to meet the huge demand in the future. Therefore, it is urgent to reform the long-term care system in Taiwan.

Previous studies have shown that many elderly people are unwillingly to live in care institutions, but prefer to live in a familiar environment with personal privacy and a sense of belonging (Wang *et al.*, 2019). This shows no different in Taiwan, from survey of the living conditions of the elderly over the years, more than 60 percent of the elderly expressed that they do not want to live in a care institution. It can be seen that aging in place is not only an international trend, but also more conform to the expectations and wishes of most elderly people. However, they sometimes cannot get immediate care when facing illness, and when emergency occurs, they often delay seeking help or cannot obtain effective treatment. For, these reasons, how to implement a high-quality and efficient long-term home care system to cope with the rapid aging society has become a top priority for Taiwan.

Technology is a key instrument for a new concept of home care. With the development of various smart technologies, like IoT devices, sensors, artificial intelligence, how to apply them to health care environment has been widely regarded. Countries across the world are also actively introducing smart technologies into the field of long-term care, hoping to make the elderly enjoy their old age more humanely and healthily (Haslwanter *et al.*, 2018). Existing research on technology-enabled home care service mainly focused on the detection of physiological status and the study of home-based medical devices. Apart from the discomfort manifested by physiological signals, there are other problems plaguing the elderly such as the caregiver's service level and care-receiver's psychological level and so on.

Therefore, through semi structured interview, field observation and the use of user journey mapping, this study aims at exploring the potential needs and pain points in long-term home care services, finding out what technology can be applied and understand the elderly's attitudes towards technology-enabled services. A technical solution is then presented and drawn into a service blueprint according to these pain-point needs. We expected to provide a reference for home care service providers for applying smart technologies to their homecare service models and create new value from managing their operations.

LITERATURE REVIEW

Long-Term Home Care Services for The Elderly in Taiwan

According to Kane & Kane (1987), long-term care (LTC) was defined as providing health, personal care and social services over a sustained period of time to people with congenital or acquired disability. Based on the concepts of long-term care, "home care" is one of the approaches to support "aging in place", since many older adults wish to live in their own familiar environment as long as possible. The benefits of home care is that the care is given in the comfort of the elderly's home and it allows more freedom and independence. Furthermore, home care could reduce pressure on family members, who have always been the main provider of long-term care in Taiwan. (Liu et al. 2014; World Health Organization, 2015).

In Taiwan, long-term home care services can be mainly divided into two categories, which are "home care service" and "home health care services" (Chiu YiChun, 2016). Home care service offers non-clinical help, such as providing companionship and assistance with activities of daily living (ADL). For example, services such as bathing and toileting, taking medicine, meal preparation, getting in and off the bed, back patting, dressing and so on. Compared with home care, home health care service focuses more on providing professional medical assistance. Home health care service is usually ordered for elderly adults who require assistance with recent injuries, who are sick in bed or who have been diagnosed with a chronic condition, like diabetes or other diseases. Medical services include the following: Wound care, rehabilitation, monitoring of health status, health education, etc. (Ministry of Health and Welfare, 2016).

In order to use the home care service, people first have to apply to the care management center of each county or city in Taiwan. Based on the physiological, psychological, economic and social support status of the elderly, an individually caring program will be planned and tailored to their needs. When the application is approved, well-trained caregivers recruited by social welfare organizations will then be assigned to provide various services to the elderly with disabilities or chronic illness in their home regularly (Liao ShuYing et al., 2009).

Aging Society and the Role of Smart Technologies in Home Care Service

With the burgeoning elderly demographic in Taiwan, the needs of life support and health care is growing rapidly. However, under the trend of declining birth rate, the numbers of middle-aged people caring for elderly patients is increasing, which causes a heavy burden. Consequently, it is no longer possible to simply think about increasing caring manpower or medical resources to satisfy the needs. In order to decrease the burden of manpower and increase the care service quality, smart technologies have been increasingly developed and used in healthcare in recent years (Huang et al., 2019).

Smart technologies were used for gathering and monitoring patient's data, remote diagnosis and treatment, providing a more convenient and efficient tool for caregivers. For example, elderly people with mobility difficulties often lie in bed, which becomes

the most accident-prone area in home care environment. Smart mattress can monitor elderly's in-bed posture by using pressure sensors, if the elderly tries to leave the bed themselves or is in the same posture too long, smart mattress will remind the caregivers immediately in order to prevent falling accident or bedsore (Hong, 2018; Li & Xu, 2020). Besides, elderly people often suffer from poor compliance with medication, such as taking the wrong medicine, forgetting to take the medicine due to illiteracy or hypomnesia (Roy et al., 2017). These situations will affect the therapeutic effect or even cause physical discomfort. Smart pill box was designed to assist the elderly people, reminding them to take the right dose of medicine at the right time and tracks their medication (Solanki & Zope, 2018). Wearable device is also a well discussed technology in health care field, it can collect care receiver's physiological indicators, such as heartbeat, blood oxygen, blood pressure, temperature, blood sugar or stress status and can also be used to track the location of the elderly or emergency call (Wang et al., 2017). Overall, these technologies are aimed at reducing the burden on caregivers, improve the quality of life of the elderly, and maximize the effectiveness of the input of care resources.

Using smart technologies to cope with the health problems of an aging society might seem straightforward (Malwade et al., 2018). Many research on smart technologies used in healthcare have mainly focused on technology adoption (Pal et al., 2018) or development of the function of the technology devices. However, the implementation of the technology becomes complicated due to user experience. Still, there is a lack of evidence concerning users' practical experience based on the journey mapping method. To know whether these technologies meet the needs of the elderly using home care service in Taiwan, it must be understood through user's actual experience and opinion. Consequently, this study utilized user journey maps to investigate the elderly's user behavior and their acceptance of the technologies.

RESEARCH METHODOLOGY

Research Methods

The whole research can be divided into two stages. Firstly, we try to explore the potential needs and pain points in current long-term home care services and find out what technology can be applied. Based on literature review and analysis, we first understand the development and current situation of home care in Taiwan. Then, through semi-structured interview and field observation, the elderly's needs and pain points are described and analyzed. We then put forward some suggestions on introducing smart technologies in home care services. Secondly, in order to understand the elderly and caregiver's attitude toward technology-enabled services, we conducted an interview based on grounded theory (Glaser & Strauss, 1967) to find out the direction of improving and strengthening the proposed technological home care service. Then, the pain points, contact points, opportunities and solutions are analyzed with the user journey map and service blueprint to optimize the technological home care process.

Research Subjects

In the first stage of the research, we select four frail elders who are cared for at home. They are the groups who have not reached the level of long-term care, but need to be cared for due to factors such as aging or frailty. Therefore, we are better able to obtain detailed information from them through interviews.

In the second stage of the research, in order to understand the elderly and caregiver's attitude toward technology-enabled services, we conducted in depth interviews with 4 care receivers (code P) and their 4 caregivers (code C). All the care receivers who participated in the interview were over 65 years old who needed care. One interviewee had a face-to-face interview at home, and the other three had the interview online because of the severe epidemic. Besides, the caregivers involved in the interview are of a wider range of ages, ranging from young adults to old people (30 to 70 years old). One interviewee had a face-to-face interview

in his office, while the other three were interviewed online. Detailed information of the interviewees is shown in Table 1.

Table 1: Interviewees' information of the second state of the research

Interviewee ID	Gender	Age	Symptoms	Pain Points	Technology Application
P1	Male	82	<ul style="list-style-type: none"> Cancer, Foot surgery Mobility impaired 	<ul style="list-style-type: none"> Light sleep Inconvenient getting in and out of bed 	<ul style="list-style-type: none"> Smart pill box Smart mattress IoT device
P2	Male	71	<ul style="list-style-type: none"> Stroke High blood pressure 	<ul style="list-style-type: none"> Mobility impaired Forgot to take medicine 	<ul style="list-style-type: none"> Smart pill box Smart mattress
P3	Female	68	<ul style="list-style-type: none"> Cancer Abdominal surgery 	<ul style="list-style-type: none"> Forget to take medicine Depraved appetite 	<ul style="list-style-type: none"> Smart pill box
P4	Male	88	<ul style="list-style-type: none"> Macular Degeneration Hard of hearing Alzheimer's disease (mild case) 	<ul style="list-style-type: none"> Get lost easily Can barely see things, need others guidance Forgot to take medicine 	<ul style="list-style-type: none"> Smart pill box IoT device
C1	Male	46	-	<ul style="list-style-type: none"> Patient with low mobility Patient often forgot to take medicine 	<ul style="list-style-type: none"> Smart pill box Smart mattress
C2	Male	39	-	<ul style="list-style-type: none"> Patient often forget to take medicine 	<ul style="list-style-type: none"> Smart pill box
C3	Male	44	-	<ul style="list-style-type: none"> Don't know what medicine the patient should take after the shift 	<ul style="list-style-type: none"> Smart pill box
C4	Female	70	-	<ul style="list-style-type: none"> Afraid of the patient getting lost. Afraid of repeated administration of drug 	<ul style="list-style-type: none"> Smart pill box IoT device

Research Process

As the research method mentioned above, we conducted two semi-structured interviews, which we will continue to discuss in depth according to the respondents' answers. Before the interviews, we first introduce and explain the research purpose to the caregivers and the care receivers, asking if they can accept their answers to be taped for later research, and promise these will only be used for academic research so that the interviewees can be psychologically prepared for the interview. Besides, instead of forcibly visiting one by one according to the questionnaire content, the interviewees can naturally continue the topic and

answer the true thoughts and feelings.

In the first interview, we inquired deeply about the pain points and the needs while the care receivers are receiving the home care service. At the same time, we observe and record the interaction between the caregiver and care receiver during the interview and ask how they feel. In the second interview, we ask them the functional requirements of the technological solutions that we proposed after the first interview, as well as the degree to which difficulties are solved under the condition of applying technological solutions, so as to know their satisfaction toward the technology-enabled home care services.

RESULTS AND DISCUSSIONS

Pain points and technological solutions

Based on the answers and observation during the first state of the interview, we analyzed the care receivers' feelings and needs when they are receiving the home care service and carried out three pain points. Firstly, the elderly is worried about being scolded due to not taking the medicine on time. The caregiver is also worried about the disease being ignored by the elderly, so someone needs to remind or assist when it is time to take the medicine. Secondly, during the non-caregiver assistance period, when the elderly encounters sudden pain or illness caused by the injury or disease, they will often feel frustrated and is worried whether it is a complication or not. Therefore, it is necessary to monitor and record the physiological state of the body throughout the day, and be able to detect emergency situations and call for assistance or rescue immediately. Lastly, to most of the interviewees, the third pain point is the difficulty in getting in and off the bed, and it is painful due to the pressure on the wound when turning over during sleep, which makes them having a poor quality of sleep. Hence, a deformable mattress is needed, which is convenient for the elderly to get in and get off the bed, it can also be used for rehabilitation during home care, and detect sleep quality, posture in bed or turnover, etc.

According to the needs and pain points above, the technological solution is proposed. The solution of the first pain point is the smart pill box, which helps family members or caregivers remind the elderly to take medicine. Moreover, the solution of the second pain point is the wearable physiological monitoring device and health cloud, which monitors the health status of the care receiver around the clock, notifies family members or caregivers in case of emergency, and uses health cloud to record health data, location, historical activities and other information. Lastly, the solution of the third pain point is the smart mattress which provides deformation function to make it easy for patients to get in and out of bed and for rehabilitation.

Care receivers' attitude and opportunities

Based on the technological solutions mentioned above, we conducted a second interview to find out the care receivers and caregivers' attitude toward these technological solutions. Besides, with the help of the user journey map, we try to have an in-depth understanding of the care receivers' mood and pain points when using these technologies and the opportunities to it.

(1) Opportunity 1 – Wearable Device

According to the caregivers and care receivers interviewed, the functions that wearable devices should have are classified into two major features, the first one is the positioning system for monitoring the location of the care receivers and SOS emergency call function, and the second one is sleep monitoring and personal health data collection. Figure 1 below shows the care receiver's user journey map of the wearable device. We find out that due to the incomprehension of smart technology, care receivers have a lower mood for the need to purchase wearable devices, and they are more likely to feel frustrated and irritable when they have difficulties in using the product. But as soon as they realized that caregivers and

themselves can monitored their health status constantly and they don't need to worry about getting lost, their mood goes up accordingly.




Figure 1: Wearable Device User Journey Map

(2) Opportunity 2 – Smart Mattress

According to the caregivers and care receivers interviewed, the functions that smart mattresses should have are classified into two major features, the first one is to help the care receivers get in and off the bed more easily, and the second one is to show the long-term compressed parts of the care receivers and remind family members to turn over and pat their backs. Figure 2 below shows the care receiver's user journey map of the smart mattress. We find out that the care receivers first think that the smart mattress is too expensive and feel that the product is unnecessary. After buying and using the product, they fill frustrated at the beginning because they don't know how to use it, and the data recorded shows that himself or herself has poor sleeping quality. However, as the lifting function and the recorded data really helps and makes them live more comfortably, their mood goes up accordingly.




Figure 2: Smart Mattress User Journey Map

(3) Opportunity 3 – Smart Pill Box

According to the caregivers and care receivers interviewed, the functions that the smart pill box should have are classified into two major features. The first one is to remind them to take medicine at the right time with the right number of pills. The second one is to notify the caregivers through mobile application if the care receivers forgot to take the medicine. Figure 3 below shows the care receiver's user journey map of the smart pill box. We find out that due to the incomprehension of smart technology, care receivers have a lower mood for the need to purchase smart pill box. Besides, they also feel frustrated because of the difficulty and cumbersome steps of loading the medicine into the pill box. However, after confirming that the pill box will remind them to take the medicine on time and they don't need to worry about being scolded because of forgetting to take the medicine, their mood rises accordingly.




Figure 3: Smart Pill Box User Journey Map

Service Blueprint of the technology-enabled home care service

This research takes health cloud as the main axis, we incorporate three technological solutions into the overall home care service process, design a new blueprint, and draw the whole service process in detail. We expected to provide a reference for home care service providers for applying smart technologies to their homecare service models and create new value from managing their operations. Figure 4 shows the technology-enabled home care service blueprint.




Figure 4: Technology-enabled home care service blueprint

CONCLUSION

From the overall interview and the user journey map, this research found out that there are several problems that need to be overcome when introducing smart technologies into the current home care service. Firstly, the care receivers are mostly elderly people who don't know much about technology and are not good about using smart products. They are relatively easy to feel frustrated when using these technologies. Therefore, the companionship and guidance of family members and caregivers are particularly important. Only when the care receivers clearly understand the use of the products and accept the products from the bottom of their hearts can these technological solutions fully achieve their due efficacy. Besides we found that the care receivers and their family members often face difficulty in product selection, installation and setting. Therefore, recommendations or suggestions from third parties, such as doctors or experts, and perfect after-sales service of the smart technology providers (including assistance in installation, recording teaching videos and dedicated customer service) are all opportunities for future improvement. At the same time, several limitations of this study should be addressed. First, a key limitation is the sample size. Since the elderly with different age or levels of disability might have different needs and hold a different attitude toward smart technology products. Future research could replicate this study using a larger and wider sample size. Second, in this study, we discussed the care receivers' attitude toward smart technology products separately. However, they might feel stressful and offended because of using so many these technologies in their lives. Hence, this issue should also be discussed and measured in the future.

REFERENCES

- Chiu, Y.C. (2016). Delivering Care to Homes - the Public and the Private Realms and Gender Issues in Home Care. Unpublished manuscript. National Tsing Hua University, Hsinchu, Taiwan. [In Chinese]
- Glaser, B., & Strauss, A. (1967). The discovery of grounded theory: Strategies for Qualitative Research (pp. 1-6). Aldine Transaction.
- Hong, Y.-S. (2018). Smart Care Beds for Elderly Patients with Impaired Mobility. *Wireless Communications and Mobile Computing*, 2018, 1780904. doi: [10.1155/2018/1780904](https://doi.org/10.1155/2018/1780904)
- Haslwanter, J. D. H., Garschall, M., Neureiter, K., Panek, P., & Subasi, Ö. (2018, July). Future Perspectives for Aging Well: AAL Tools, Products, Services. In International Conference on Computers Helping People with Special Needs (pp. 361-364). Springer, Cham.
- Huang, P. C., Lin, C. C., Wang, Y. H., & Hsieh, H. J. (2019, May). Development of health care system based on wearable devices. In 2019 Prognostics and System Health Management Conference (PHM-Paris) (pp. 249-252). IEEE.
- Kane, R. A., & Kane, R. L. (1987). *Long-term care: Principles, programs, and policies*. New York: Springer.
- Li, R., & Xu, Y. (2020). Design of a Smart Mattress Real-Time Monitoring System Based on ISO/IEEE 11073. Paper presented at the Proceedings of the 2020 International Symposium on Artificial Intelligence in Medical Sciences, Beijing, China.
- Liao, S.Y., Shun, Z.H., & Chiu, C.C. (2009). A Home Care Experience in Helping a Caregiver Who Takes Care of Dementia Patient. *The Journal of Long-Term Care*, 13(2), 255-268. doi: [10.6317%2fLTC.200909_13\(2\).0011](https://doi.org/10.6317%2fLTC.200909_13(2).0011) (in Chinese).
- Liu, H. Y., Wang, Y. N., Huang, H. L., Hsu, W. C., Lin, Y. E., Huang, T. H., & Shyu, Y. I. L. (2014). Psychometric properties of the finding a balance scale for family caregivers of elders with dementia in Taiwan. *Research in Nursing & Health*, 37(4), 336-346.
- Malwade, S., Abdul, S. S., Uddin, M., Nursetyo, A. A., Fernandez-Luque, L., Zhu, X. K., ... & Li, Y. C. J. (2018). Mobile and wearable technologies in healthcare for the ageing population. *Computer Methods and Programs in Biomedicine*, 161, 233-237.
- Ministry of Health and Welfare, R.O.C. (Taiwan). Long-Term Care 2.0 (2017-2026) Approved Version. Retrieved from: <https://1966.gov.tw/LTC/cp-4001-42414-201.html> (access 24 May 2021). (in Chinese)
- National Development Council. Population projections for R.O.C. (Taiwan) (2018–2065). Retrieved from: <https://pop-proj.ndc.gov.tw/> (access 24 May 2021). (in Chinese)
- Pal, D., Funilkul, S., Vanijja, V., & Papasratorn, B. (2018). Analyzing the elderly users' adoption of smart-home services. *IEEE Access*, 6, 51238-51252.
- Roy, N. T., Sajith, M., & Bansode, M. P. (2017). Assessment of Factors Associated with Low Adherence to Pharmacotherapy in Elderly Patients. *Journal of Young Pharmacists*, 9(2), 272-276.
- Solanki, N., & Zope, D. (2018). Smart Pill Box Health Care System. *International Research Journal of Engineering and Technology*, 5(7), 919-928.
- Wang, Z., Yang, Z., & Dong, T. (2017). A review of wearable technologies for elderly care that can accurately track indoor position, recognize physical activities and monitor vital signs in real time. *Sensors*, 17(2), 341.
- Wang, S., Bolling, K., Mao, W., Reichstadt, J., Jeste, D., Kim, H. C., & Nebeker, C. (2019). Technology to Support Aging in Place: Older Adults' Perspectives. *Healthcare (Basel, Switzerland)*, 7(2), 60.
- World Health Organization. (2015). The growing need for home health care for the elderly: home health care for the elderly as an integral part of primary health care services. Retrieved from: <https://apps.who.int/iris/handle/10665/326801> (access 24 May 2021).